



TL-300

Deployable portable lighting in one bespoke robust package.

Portable Tripod Light




HIGHER, BRIGHTER, MORE STABLE


Expanding or retracting requires just two steps and can be completed in 10 seconds.




1 Release the legs




2 Release and rise the extension pole




Secure the lamp at any height with the buckle.




One-click release or lock of the legs.



Ground pegs are available to secure the light tower, providing wind and vibration resistance.
(Optional)




HUMANIZED DESIGN HIDDEN IN THE DETAILS



LOWER CENTER OF GRAVITY, GREATER STABILITY.

Ultra-low center of gravity combined with extended legs effortlessly handles strong winds and slopes.



High light efficiency illuminating a wider space

Equipped with high-brightness LED light source and high-quality optical lens system

AC Powered

Up To

14,000_{LM}

Battery-powered


Up To

8,000_{LM}

Stepless Dimmable (AC Powered)



4 Levels of Brightness (Battery Powered)





Construction



Emergency



Sport



Maintenance



Infrastructure



Outdoor activities



Mining



Railway

Designed for single-person operation

Easy to grip and move,
weight 8.2 kg excluding battery pack.




Specifications

TL-300

Height	1.25m-3.1m
Weight	8.2KG (Fitting only)
Power Supply	D24 series battery pack / AC 100-277V
Lumens	0-14000Lm
Run Times	>13h10mins (Standard mode, D24-100 x 2)
IP Grade	IP66
Output(USB)	5V 2A
Operating Temp	-10°C-50°C



Size (mm)



Package

Model	TL-300
Size of Carton	1350x290x380mm
Gross Weight of Carton	10.5KG
PCS/Carton	1



SAFETEK SOLUTIONS PTY LTD.

Phone: 1300 723 383

Email: sales@safeteksolutions.com.au

Webiste: www.safeteksolutions.com.au

Office Branch: WA | QLD | VIC

SAFETEK
SOLUTIONS